

# Work Order ID 83485

**\*83485\***

Page 1

April-18-12 2:44:00 PM

Item ID: D4130-9

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Aft Cargo Floor Protector

Start Date: 18/04/2012 Start Qty: 3.00

**\*3\***

Cust Item ID:

Required Date: 02/05/2012 Req'd Qty: 3.00

**\*3\***

Customer:

Reference:

Approvals:

Process Plan:

~~SSA~~ M25

Date: 12/04/10

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
<b>Draw Nbr</b>	<b>Revision Nbr</b>								
D4130	B					(3)			
100	FLOW WATER JET	0.00							
<b>*100*</b>									
Waterjet	<b>Memo</b>	0.00							B12-5-1
FLOW CNC Waterjet	1-Cut as per Dwg Dwg Rev: B Prog Rev: B 2-Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
<b>*110*</b>									
QC	<b>Memo</b>	0.00							B12-5-1
Quality Control									
120	QC8- Inspect parts - second check	0.00							
<b>*120*</b>									
QC	<b>Memo</b>	0.00							
Quality Control						(x3)			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 83485

April-18-12 2:44:00 PM

**\*83485\***

Page 2

Item ID: D4130-9

Accept

**\*N900040100\***

Setup Start

**\*NS1\***

Revision ID:

Item Name: Aft Cargo Floor Protector

Stop

**\*NS2\***

Start Date: 18/04/2012 Start Qty: 3.00

**\*3\***

Cust Item ID:

Required Date: 02/05/2012 Req'd Qty: 3.00

**\*3\***

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start

**\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop

**\*NR2\***

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

Identify as per dwg & Stock Location: \_\_\_\_\_

0.00

*PP 83483*

*(3)*

*12/5/12*

**\*130\***

Packaging

Memo

0.00

Packaging

140

QC21- Final Inspection - Work Order Release

0.00

**\*140\***

QC

Memo

0.00

Quality Control

*12/5/3*

*12-05-3*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

April-18-12 2:44:04 PM

Page 1

Work Order ID: 83485

\*83485\*

Parent Item: D4130-9

\*D4130-9\*

Parent Item Name: Aft Cargo Floor Protector

Start Date: 18/04/2012

Required Date: 02/05/2012

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP Rev:A 10.06.08 new issue DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No			100	sf	688.7974	5.882	18.57474			

\*MI FXS 125-F60029-04\*

GE PLASTICS LEXAN SHEET

\*\*

HB 12-5-1

Location

Loc Qty

Loc Code

MAT019

688.7974

119937

688.7974

119937

63

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER

NO. 83485 MLJ  
12/04/18



**D4130-1 FWD CABIN FLOOR PROTECTOR**  
(TEXTURED SIDE SHOWN)



**RELEASED**  
2011-09-21

**NOTES:**

- 1) MATERIAL: F60029-GY3778 DARK GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK  
REF DART SPEC MLEXS.125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.1 ON SMOOTH SIDE
- 7) WEIGHT: 12.07 lbs

B	ADD D4130-1/-3 (ZN B4-1 & B4-2)	RF	11.07.27
A	NEW ISSUE	RF	10.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>MP</i>		
MFG. APPR.	<i>NS</i>		
APPROVED	<i>MP</i>		
DE APPR.	<i>MP</i>	DRAWING NO.	REV. E
		<b>D4130</b>	SHEET 1 OF 1
		TITLE	SCALE
		<b>FLOOR PROTECTOR</b>	NTS
DATE	11.07.27	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

REV. B  
SHEET 1 OF 5  
SCALE  
NTS

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

83485



**D4130-3 AFT CABIN FLOOR PROTECTOR**  
(TEXTURED SIDE SHOWN)



**RELEASED**  
2011-09-21

**NOTES:**

- 1) MATERIAL: F60029-GY3778 DARK GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK  
REF DART SPEC MLEXS. 125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.1 ON SMOOTH SIDE
- 7) WEIGHT: 7.61 lbs

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4130	SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	FLOOR PROTECTOR	NTS
DATE	11.07.27	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

83485



**D4130-5 FWD CARGO FLOOR PROTECTOR**  
(TEXTURED SIDE SHOWN)

RELEASED  
2011-09-21  
JND

**NOTES:**

- 1) MATERIAL: F60029-GY3778 DARK GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK  
REF DART SPEC MLEXS.125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.1 ON SMOOTH SIDE
- 7) WEIGHT: 4.41 lbs

DESIGN		HS	DART AEROSPACE USA, INC. KENT, WA	
DRAWN		RF		
CHECKED		RF	DRAWING NO.	REV. B
MFG. APPR.		RF	D4130	SHEET 3 OF 5
APPROVED		RF	TITLE	SCALE
DE APPR.		RF	FLOOR PROTECTOR	NTS
DATE	11.07.27		COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

83485



**D4130-7 CENTER CARGO FLOOR PROTECTOR**  
(TEXTURED SIDE SHOWN)

**RELEASED**  
2011-09-21

**NOTES:**

- 1) MATERIAL: F60029-GY3778 DARK GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK  
REF DART SPEC MLEXS.125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.1 ON SMOOTH SIDE
- 7) WEIGHT: 10.92 lbs

DESIGN	HS	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>MP</i>	DRAWING NO. <b>D4130</b>	REV. B
MFG APPR.	<i>DS</i>	SHEET 4 OF 5	
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	<b>FLOOR PROTECTOR</b>	NTS
DATE	11.07.27	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





**D4130-9 AFT CARGO FLOOR PROTECTOR**  
(TEXTURED SIDE SHOWN)

**NOTES:**

- 1) MATERIAL: F60029-GY3778 DARK GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK  
REF DART SPEC MLEXS.125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.1 ON SMOOTH SIDE
- 7) WEIGHT: 3.78 lbs

DESIGN	HS	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4130	SHEET 5 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	FLOOR PROTECTOR	NTS
DATE	11.07.27	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries